GH Phipps CONSTRUCTION COMPANIES

496 Nevada Mesa View
Colorado Springs, CO 80907-4347
719-633-4673
719-471-3169 (fax)

TRANSMITTAL

No. 13D1274-0015

PROJECT: HCMRO-Front Range Orthopedics

DATE: 12/20/2012

TO: Tenant Planning Services
450 Decatur St
Denver CO 80204

RE: 11400-Dishwasher

ATTN: Chuck Nichols

Ph/Fax:

JOB: 13D1274

WE ARE SENDING:	SUBMITTED FOR:	ACTION TAKEN:
☐ Shop Drawings	☐ Approval	☐ Approved as Submitted
☐ Letter	☐ Your Use	☐ Approved as Noted
☐ Prints	☐ As Requested	☐ Returned After Loan
☐ Change Order	☐ Review and Comment	☐ Resubmit
☐ Plans		☐ Submit
☐ Samples	**SENT VIA:**	☐ Returned
☐ Specifications / Product Data	☑ Attached	☐ Returned for Corrections
☐ Other:	☐ Separate Cover Via:	☐ Due Date:

NOTES:

Item	*Package*	*Code*	*Rev.*	*Copies*	*Date*	*Description*	*Status*
Submittal	11400	11400.01	1	1	12/20/2012	Dishwasher	Architect Review

CC:

Signed: _____

Michael Beaudoin

Submittal Stamp Sheet

Project: Front Range Orthopedics
Phipps' Job #: 13D1274
Submittal #: 11400.01

Tenant Planning Services
450 Decatur Street
Denver, CO 80204

Gerald H. Phipps, Inc.:	Architect:
SUBMITTED ***GH Phipps*** *Construction Companies* GH Phipps has reviewed, approved, and herby submits the attached in accordance with the contract documents. Note to Subcontractor/Material Supplier: Subcontractor/Material Supplier remains responsible for the confirmation and correlation of dimensions at the jobsite; fabrication processes and construction techniques; coordination of the work with the work of other trades; and satisfactory performance of the work.	
Engineer:	Other:

NOTES:

Signed: M.Beaudoin
GH Phipps Representative

Whirlpool® Dishwasher with Stainless Steel Tall Tub

Send Page to Printer Close Window

WDF550SAAS

ENERGY STAR

AVAILABLE COLORS

- **Black**
  Model: WDF550SAAB
- **Stainless Steel**
  Model: WDF550SAAS
- **White**
  Model: WDF550SAAW

DIMENSIONS

Maximum Height	34 1/2 Inches
Minimum Height	32 1/2 Inches
Height	34 1/2 Inches
Depth	24 Inches
Width	23 9/16 Inches

Dimensions shown are for planning purposes only. For complete information, see Installation Instructions packed with product.

SPECIFICATIONS

Performance

Wash System	Resource Efficient
Number of Cycles	5
Light/China Cycle	Yes
Normal Cycle	Yes
Heavy Duty Cycle	Yes

KEY FEATURES

ENERGY STAR® Qualified
Stainless steel interior
ADA Compliant
Cup shelves
Nylon rack coating
Heated Dry Option
High Temperature Wash option
2-4-6 Hour Delay Wash

Rinse Only Cycle	Yes
Number of Options	4
Heated Dry Option	Yes
Hi Temp Wash Option	Yes
Delay Wash Option	Yes
Control Lockout Option	Yes
Rinse Aid Dispenser	Yes

Quality Construction

Tub Material	Stainless
Tub Design	Tall Tub
Rack Material	Nylon
Sound Package	Quiet Partner™ I
Sound Tested DBA	54

Loading Features

Capacity	12 Place Settings

General

ENERGY STAR® Qualified	Yes

ELECTRICAL

280 kWh per Year, 120 V. 15,

Parts Supplied

Check that all parts are included. See separate parts list for accessories available for your dishwasher.

A. #8 x ⅝" Phillips flat-head wood screws
B. Phillips color-matched toekick screws

Location Requirements

IMPORTANT: Observe all governing codes and ordinances. Failure to meet codes and ordinances could lead to fire or electrical shock.

Proper installation is your responsibility.

- Contact a qualified installer to ensure that the dishwasher is installed to meet all electrical and plumbing national and local codes and ordinances.
- Install the dishwasher as specified in these instructions.
- Have everything you need to properly install dishwasher.
- Protect dishwasher and water lines leading to dishwasher against freezing. Damage from freezing is not covered by the warranty.
- This dishwasher is manufactured for indoor use only.
- Install and level dishwasher on a floor that will hold the weight, and in an area suitable for its size and use.
- Install dishwasher in a location with easy access to water, electricity and drain.
- Fully enclosed on both sides, back, and top.

Minimum Clearances

NOTES:

- Corner locations require 2" (5.1 cm) minimum clearance between the side of the dishwasher door and the wall or cabinet.
- A minimum of 25⅝" (65.1 cm) is required in front of the dishwasher to allow the door to open fully.
- Opening should be square, and the floor should be level.



A. 2" (5.1 cm) minimum clearance for door opening
B. Dishwasher
C. Countertop
D. 25⅝" (65.1 cm) minimum

Product Dimensions

Side View



* To front of door frame

Rear View



Installation Clearances

Cutout Dimensions



A. All surfaces free from intrusions

* Underside of countertop to floor

NOTES:

- Cut holes in shaded area of cabinet walls or floor for plumbing and electrical service.
- ADA installation—32½" (82.5 cm) beneath 34" (86.4 cm) high countertops may be accomplished by adjusting the toekick and leveling legs.

Electrical Requirements

⚠WARNING

Electrical Shock Hazard

Plug into a grounded 3 prong outlet.

Do not remove ground prong.

Do not use an adapter.

Do not use an extension cord.

Failure to follow these instructions can result in death, fire, or electrical shock.

GROUNDING INSTRUCTIONS

- **For a grounded, cord-connected dishwasher:**

  The dishwasher must be grounded. In the event of a malfunction or breakdown, grounding will reduce the risk of electric shock by providing a path of least resistance for electric current. The dishwasher is equipped with a cord having an equipment-grounding conductor and a grounding plug. The plug must be plugged into an appropriate outlet that is installed and grounded in accordance with all local codes and ordinances.

  WARNING: Improper connection of the equipment-grounding conductor can result in a risk of electric shock. Check with a qualified electrician or service representative if you are in doubt whether the dishwasher is properly grounded. Do not modify the plug provided with the dishwasher; if it will not fit the outlet, have a proper outlet installed by a qualified electrician.

- **For a permanently connected dishwasher:**

  The dishwasher must be connected to a grounded metal, permanent wiring system, or an equipment-grounding conductor must be run with the circuit conductors and connected to the equipment-grounding terminal or lead on the dishwasher.

SAVE THESE INSTRUCTIONS

Contact a qualified electrician.

Ensure that the electrical installation is adequate and in conformance with all national and local codes and ordinances.

Requirements:

- 120-volt, 60 Hz, AC-only, 15- or 20-amp fused electrical supply
- Copper wire only, 2 wire with ground

Recommended:

- Time-delay fuse or circuit breaker
- Separate circuit

Direct Wire Connection

- Use flexible, armored or nonmetalic sheathed, copper wire with grounding wire that meets the wiring requirements for your home and local codes and ordinances.

Power Supply Cord Connection

Use Power Supply Cord Kit (Part Number 4317824) marked for use with dishwashers. Kit contents include:

- UL listed 16 gauge 3-wire power supply cord with 3 prong grounding plug
- Neer C-500 ⅞" strain relief
- 3 wire connectors
- Part No. 302797 grommet

Follow the kit instructions for installing the power supply cord.

NOTE: Power supply cord must plug into a mating three prong, grounded outlet, located in the cabinet next to the dishwasher opening. Outlet must meet all local codes and ordinances.

IMPORTANT: If you plan to install a garbage disposal, an additional separate 120-volt, 60 Hz, AC-only, 15- or 20-amp fused electrical supply is required.

U.S. Government

Federal law prohibits removal of this label before consumer purchase.

ENERGYGUIDE

Dishwasher
Capacity:standard

WHIRLPOOL
Models WDF550SAA*

Estimated Yearly Operating Cost
(when used with an electric water heater)

Cost Range of Similar Models

280 kWh
Estimated Yearly Electricity Use

$21
Estimated Yearly Operating Cost
(when used with a natural gas water heater)

Your cost will depend on your utility rates and use.

- Cost range based only on standard capacity models.
- Estimated operating cost based on four wash loads a week and a 2007 national average electricity cost of 10.65 cents per kWh and natural gas cost of $1.218 per therm.
- For more information, visit www.ftc.gov/appliances.

ENERGY STAR